

Vector® F Series Multi-Cook Oven

CE Certified

ALTO-SHAAM

Imagine the flexibility to control temperature, fan speed and time in multiple, independent oven chambers. One Vector Multi-Cook oven can replace two traditional ovens.

The Vector oven is a revolution in cooking technology, featuring exclusive Structured Air Technology® that delivers high-velocity, focused heat for faster more even cooking than traditional ovens. Save time without watching and rotating pans. Cook what you want, when you want it.

Unmatched flexibility to simultaneously cook a variety of foods with no flavor transfer in three or four oven chambers

Control temperature, fan speed and time in each individual oven chamber

Superior cooking evenness and food quality delivered by Structured Air Technology

Combined chamber capability allows operators to cook taller food items and use the optional temperature probe

Cook up to 2X more food than a traditional oven

Labor savings with a simple operation

Made in the USA with a commitment to quality

Standard Features

- Programmable, touchscreen control
- Easy recipe upload/download via USB port
- Double-pane glass door
- One (1) wire stainless steel rack and two (2) jet plates per cooking chamber

Capacity



VMC-F3E: 3 shelf,
3 GN 2/1 pans (530 x 650 x 100mm) or
6 GN 1/1 pans (530mm x 325mm x 100mm)

VMC-F4E: 4 shelf,
4 GN 2/1 pans (530 x 650 x 100mm) or
8 GN 1/1 pans (530mm x 325mm x 100mm)



VMC-F4E
Four Chamber

VMC-F3E
Three Chamber
Shown with bottom two chambers
combined and optional probe

Configurations (select one)

Models

- VMC-F3E
- VMC-F4E

Electrical

- 380-415V 3PH

Stacked Configurations and Stands

- See page 3.

Accessories (select all that apply)

Probe

- Single-point quick-connect core temperature probe (5016820)

Stainless Steel Stand

- 152mm height, with casters, for all models (5025815)
- 381mm height, with feet, for VMC-F3E/VMC-F3E stack (5025509)
- 446mm height, with casters, for VMC-F3E/VMC-F3E stack (5025512)
- 546mm height, with feet, for VMC-F4E (5025507)
- 611mm height, with casters, for VMC-F4E (5025510)
- 724mm height, with feet, for VMC-F3E (5025508)
- 789mm height, with casters, for VMC-F3E (5025511)

Cookware

- Grill pan, half size, 279mm x 406mm (PN-39135)
- Grill pan, full size, 451mm x 660mm (PN-39474)
- Wire rack (SH-39201)

Cleaning

- EcoLab® Greaselift® (CE-39136)
- ChemCo Dirt Buster III (CE-39137)

Stacking

- Stacking bracket (5025571)

Grease Filters


- Grease filter kit (per chamber), for Vector F/FF Models (5027120)

Vector® F Series Multi-Cook Oven

CE Certified



Specification



- The oven must be installed level.
- The oven must not be installed in any area where it may be affected by steam, grease, dripping water, high temperatures, or any other severely adverse conditions.
- Oven not intended for built-in installation.



Top: 51mm
Left: 51mm
Right: 51mm
Front: 51mm
Back: 51mm



Model	Exterior (H x W x D)	Interior (H x W x D)	Chamber Height (Combined)	Net Weight
VMC-F3E	820 mm x 1036 mm x 1078 mm	542 mm x 667 mm x 525 mm	109 mm (287 mm)	214 kg
VMC-F4E	998 mm x 1036 mm x 1078 mm	720 mm x 667 mm x 525 mm	109 mm (287 mm)	272 kg

Ship Dimensions (L x W x H)*

Model	Ship Dimensions (L x W x H)*	Ship Weight*
VMC-F3E	1422mm x 1143mm x 1143mm	261 kg
VMC-F4E	1422mm x 1143mm x 1295mm	320 kg

*Domestic ground shipping information. Contact factory for export weight and dimensions.



	V	Ph	Hz	IEC Wire Size (mm ²)*	A	Breaker*	kW	Plug Configuration
VMC-F3E	380-415	3	50/60	4	15.9-18.4	32	10.5-12.1	no plug, no cord
VMC-F4E	380-415	3	50/60	4	21.1-24.5	32	14.0-16.2	no plug, no cord

* Electrical connections must meet all applicable codes.




Vector® F Series Multi-Cook Oven

CE Certified




Stands and Stacks


**VMC- F3E
5025815**
H: 34" (865mm)
W: 41" (1042mm)
D: 42-1/2" (1078mm)




**VMC- F4E
5025815**
H: 41" (1039mm)
W: 41" (1042mm)
D: 42-1/2" (1078mm)




**VMC- F3E/VMC-F3E
5025571
5025815**
H: 62" (1577mm)
W: 41" (1042mm)
D: 42-1/2" (1078mm)




**VMC- F3E/VMC-F4E
5025571
5025815**
H: 69" (1754mm)
W: 41" (1042mm)
D: 42-1/2" (1078mm)




**VMC- F4E/VMC-F4E
5025571
5025815**
H: 76" (1932mm)
W: 41" (1042mm)
D: 42-1/2" (1078mm)




**VMC- F3E
5025508**
H: 56-5/8" (1439mm)*
W: 42-1/2" (1078mm)
D: 42-1/2" (1078mm)




**VMC- F3E/VMC-F3E
5025571
5025509**
H: 71-1/4" (1809mm)*
W: 42-1/2" (1078mm)
D: 42-1/2" (1078mm)




**VMC- F4E
5025507**
H: 56-5/8" (1439mm)*
W: 42-1/2" (1078mm)
D: 42-1/2" (1078mm)




**VMC- F3E/VMC-F3E
5025571**
H: 60-3/8" (1531mm)**
W: 41" (1042mm)
D: 42-1/2" (1078mm)




**VMC- F3E/VMC-F4E
5025571**
H: 67-3/8" (1709mm)**
W: 41" (1042mm)
D: 42-1/2" (1078mm)




**VMC-F3E
5025511**
H: 59-1/8" (1501mm)
W: 44" (1118mm)
D: 42-1/2" (1078mm)



**VMC-F3E/VMC-F3E
5025571
5025512**
H: 73-5/8" (1871mm)
W: 44" (1118mm)
D: 42-1/2" (1078mm)




**VMC-F4E
5025510**
H: 59-1/8" (1501mm)
W: 44" (1118mm)
D: 42-1/2" (1078mm)



**VMC-F4E/VMC-F4E
5025571**

H: 74-3/8" (1887mm)**
W: 41" (1042mm)
D: 42-1/2" (1078mm)



* Stand height can be adjusted -12mm to +16 mm ** Leg height can be adjusted -6 mm to +32 mm

CONTACT US

W164 N9221 Water Street | Menomonee Falls, Wisconsin 53051 | U.S.A.
Phone: 262.251.3800 | 800.558.8744 U.S.A./Canada | Fax: 262.251.7067 | alto-shaam.com