

COMMERCIAL FOODSERVICE EQUIPMENT MANUFACTURER



#### Quality

Everest prides itself in being a step above the industry standard. Top grade materials and components, highly skilled engineers, state of the art assembly lines and stringent quality measures all come together to create foodservice equipment that can withstand the most intense application.

#### **Dependable Technology**

Everest runs on reliable technology designed for superior performance and maintenance. Optimum refrigeration function is guaranteed thanks to high performance compressors supported by oversized condenser coils that allow excellent heat dispersion while large-scale, high velocity condenser fan motors and blades provide powerful ventilation. Fast temperature recovery is made possible by oversized, self-maintaining evaporator coils and dual evaporator fan motors. These self-contained condensing units are completely detachable for unsurpassed accessibility in service and repair.



#### **Excellent Warranty Program**

Everest offers the best warranty in the industry. All equipment are backed with a solid 3-year parts and labor warranty and a 5-year compressor warranty. An expansive service network of factory trained service representatives and over 1,000 Everest authorized service companies nationwide are ready to provide immediate technical assistance.

#### Availability

Inventory fill rate is a primary focus of Everest's operations. The success of replenishment orders and factory and shipping schedules is achieved through precise inventory management and strategic asset movement and storage. Our expansive list of warehouses nationwide ensures local availability and support.



#### **Competitive Pricing**

Everest offers high quality products at affordable, competitive prices – an accomplishment made possible in the current market through careful planning. Direct control and strategizing of factory assets and operations give us the room to manage profits. Order discounts, shipping perks and premiums, rebate programs and flexibility in terms are just some of the incentives Everest has on offer.


#### **Outstanding Customer Service**

Behind Everest's success is our dedicated team of in-house, factory-trained sales, financial, shipping, service and parts executives ready to support customers every step of the way, from pre-sale to post-sale proceedings. Providing a solid customer service experience is our priority.



## **Sales & Distribution Network**





# **Table of Contents**

#### **Upright Reach-Ins**

#### Top Mount

Solid Door Refrigerators4
Solid Door Freezers4
Solid Door Dual Temps4
Door & Drawer Combo Refrigerators
\ Dual Temps 4
Glass Door Refrigerators5
Glass & Solid Half-Door Refrigerators
\ Dual Temps5

#### Bottom Mount

be		
	][	
		_
31		10.1

Solid Door Refrigerators5
Solid Door Refrigerators (Deep Series)
Solid Door Freezers
Solid Door Freezers (Deep Series)6
Solid Door Dual Temps7
Glass Door Refrigerators7

#### Merchandisers

#### Bottom Mount

Single Swing Glass Door Refrigerators	7
Multiple Swing Glass Door Refrigerators	7
Sliding Glass Door Refrigerators	
Swing Glass Door Freezers	
Chromatography Swing Door Refrigerators	
Chromatography Sliding Door Refrigerators	9

#### **Undercounters**

#### Back Mount

1	Solid Door Refrigerators	9
1	Drawered Refrigerators	9
	Solid Door Freezers	9

#### Side Mount

	Solid Door Refrigerators 10
T	Solid Door Freezers 10
	Solid Door Dual Temps 10
	Sliding Glass Door Refrigerators 10

#### **Chef Bases**



#### Side Mount

Drawered Refrigerators ..... 11

#### **Food Prep. Tables**

#### Back Mount



Sandwich Prep. Table Refrigerators11
Drawered Sandwich Prep. Table Refrigerators 12
Mega-Top Sandwich Prep. Table Refrigerators 12
Open Top Prep. Table Refrigerators12

#### Side Mount

	-	-	-	-
A COLUMN TO A COLU			~	
•			-1	-

N	Sandwich Prep. Table Refrigerators
	Pizza Prep. Table Refrigerators
a.	Drawered Pizza Prep. Table Refrigerators 13

#### **Bar Equipment**



#### **Back Bar Coolers**

Solid Door Back Bar Coolers
24" Deep Solid Door Back Bar Coolers 13
Glass Door Back Bar Coolers 14
24" Deep Glass Door Back Bar Coolers 14
24" Deep Glass Sliding Door Back Bar Coolers 14

#### **Direct Draw Keg Refrigerators**

Direct Draw Keg Refrigerators 14	
24" Deep Direct Draw Keg Refrigerators 15	
Back Bar & Direct Draw Keg Refrigerators 15	
24" Deep Back Bar	
& Direct Draw Keg Refrigerators 15	
24" Deep Glass Back Bar	
& Direct Draw Keg Refrigerators 15	
Club Top Direct Draw Keg Refrigerators 16	
	<ul> <li>24" Deep Direct Draw Keg Refrigerators</li></ul>



#### Horizontal Bottle Coolers ..... 16



Solid Slide Lid Glass & Plate Chillers ..... 16

#### **Countertop Refrigerated Display Cases**





## Sushi Cases ..... 17

#### Warranty





#### **Top Mount**

**Upright Reach-Ins** 



Н 74 1/4 Н 74 1/4 н 74 1/4 R : Refrigerator | F : Freezer | Drawer pans are not included. | H : Height does not include 5" for casters.

All dimensions are in inches unless otherwise specified.

Specifications subject to change without notice.

н

74 1/4

н

Product dimensions are for general purposes and not absolute value. Product capacity is calculated based on standard industry figures. Slight variations may exist. If dimensions and capacity are critical, please contact Everest Refrigeration.


74 1/4

#### **Upright Reach-Ins**

**Top Mount** 

**Bottom Mount** 

**Glass Door Refrigerators** 




R: Refrigerator | F: Freezer | D: Depth does not include 1 1/2" for door handles. | H: Height does not include 5" for casters. Solid Door Refrigerators

					<u>.</u>			
	EBR1		EBWR1		EBWRH2		EBNR2	
L	27		29 1/4	L	29 1/4	L	39 3/8	
D	31 1/2	D	31 1/2	D	31 1/2	D	31 1/2	
H	75 3/4	н	75 3/4	H	75 3/4	н	75 3/4	
						H: Heiaht	does not include 5" for a	casters.





75 3/4



L

D

н

75 3/4 H: Height does not include 5" for casters.


Specifications subject to change without notice.

Product dimensions are for general purposes and not absolute value. Product capacity is calculated based on standard industry figures. Slight variations may exist. If dimensions and capacity are critical, please contact Everest Refrigeration.

L

D

Н



EBF1D EBF2D EBNF2D 39 3/8 54 1/8 27 L L 34 5/8 D 34 5/8 D 34 5/8 75 3/4 Н 75 3/4 75 3/4 Η


L

D

Н

H: Height does not include 5" for casters.

All dimensions are in inches unless otherwise specified.



D: Depth does not include 1 1/2" for door handles.

Specifications subject to change without notice.

Product dimensions are for general purposes and not absolute value. Product capacity is calculated based on standard industry figures. Slight variations may exist. If dimensions and capacity are critical, please contact Everest Refrigeration.

Merchandisers Bottom Mount Sliding Glass Door Refrigerators							
EMGR33	EMGR33B	EMGR48	EMGR48B				
L 39 3/8	L 39 3/8	L 53 1/8	L 53 1/8				
<b>D</b> 30 3/4	<b>D</b> 30 3/4	D 30 3/4	<b>D</b> 30 3/4				
H 78 7/8	H 78 7/8	H 78 7/8	H 787/8				

D: Depth does not include 1 1/2" for door handles. | H: Height does not include 5" for casters.

	EMGR69		EMGR69B
L	72 7/8	L	72 7/8
D	30 3/4	D	30 3/4
Н	78 7/8	H	78 7/8
		D: Depth doe	s not include 1 1/2" for door handles.   H: Height does not include 5" for casters.

Dottom Mou


		Bot	tom Mount	Swi	ng G	lass Door Freezers		
							HEH	
	EMGF23		EMGF36 (230V)			EMGF48 (230V)		EMGF69 (230V)
L	29 1/8	L	41		L	54 3/4	L	74 3/4
D	31 5/8	D	31 5/8		D	31 5/8	D	31 5/8
H	78 7/8	Н	78 7/8		H	78 7/8	Н	78 7/8
				D: Depth	does r	not include 1 1/2" for door handle	s.   H: H	eight does not include 5" for casters.
		Bot	tom Mount	Chro	omat	tography Swing Doo	r Refr	igerators
	EMGR24C		EMSGR33C			EMSGR48C		EMSGR69C
			39 3/8		L	53 1/8		72 7/8
L	28 3/8	L					L	
L D	28 3/8 32 78 7/8	L	39 3/8 32 78 7/8		D	32 78 7/8	D	32 78 7/8

 32
 D
 32
 D
 32

 78 7/8
 H
 78 7/8
 H
 78 7/8

 L : Length does not include protruding access ports.
 D: Depth does not include 1 1/2" for door handles.

All dimensions are in inches unless otherwise specified.



27 3/4 35 5/8 47 1/2 59 1/4 L L L L 31 1/2 D 31 1/2 D 31 1/2 D 31 1/2 D 30 1/8 Н 30 1/8 н 30 1/8 Н 30 1/8 Н

H 30 1/8 H: Height does not include 5" for casters.

71 1/8

31 1/2

Specifications subject to change without notice.

Product dimensions are for general purposes and not absolute value. Product capacity is calculated based on standard industry figures. Slight variations may exist. If dimensions and capacity are critical, please contact Everest Refrigeration.

L


D

Н

#### Undercounters Side Mount Solid Door Refrigerators

	ETR1		ETR2		ETWR2		ETR3
L	35 5/8	L	47 1/2	L	59 1/4	L	71 1/8
D	31 1/2	D	31 1/2	D	31 1/2	D	31 1/2
H	29 1/4	H	29 1/4	H	29 1/4	H	29 1/4
						H: Height o	does not include 5" for casters.

**Side Mount Solid Door Freezers** and a second ETF1 ETF2 ETWF2 ETF3 35 5/8 47 1/2 59 1/4 71 1/8 L L L L D 31 1/2 D 31 1/2 D 31 1/2 D 31 1/2 Н Η 29 1/4 29 1/4 H 29 1/4 Н 29 1/4 H: Height does not include 5" for casters.



Side Mount

#### **Sliding Glass Door Refrigerators**



H: Height does not include 5" for casters.

#### Drawered Refrigerators



L

D

Н





D: Depth does not include 1" for stainless steel grip. | H: Height does not include 5" for casters.





20



**Chef Bases** 

D: Depth does not include 1" for stainless steel grip. | H: Height does not include 5" for casters.



D: Depth does not include 1" for stainless steel grip. | H: Height does not include 5" for casters.



D: Depth includes 12 1/4" cutting board. | H: Height does not include 5" for casters.

Specifications subject to change without notice.

Product dimensions are for general purposes and not absolute value. Product capacity is calculated based on standard industry figures. Slight variations may exist. If dimensions and capacity are critical, please contact Everest Refrigeration.

Drawered Sandwich Prep. Table Refrige	erators
---------------------------------------	---------

**Back Mount** 



Mega-Top Sandwich Prep. Table Refrigerators

Back	Mount	

						-					
E	EPBR1 EPBSR2		EPBSR2		EPBR2		EPBWR2	EPBR3			
L	27 3/4	L	35 5/8	L	47 1/2	L	59 1/8	L	71 1/8		
D	35 1/4	D	35 1/4	D	35 1/4	D	35 1/4	D	35 1/4		
Н	37 1/2	Н	37 1/2	Н	37 1/2	Н	37 1/2	н	37 1/2		
					D: Depth ir	ncludes	9 1/8" cutting board.   H: H	Height d	does not include 5" for casters.		

			Back Moun	t	Open Top P	rep. Tal	ole Refrigerators -	Remo	ovable Top Cover(s)
	EOTP1		EOTPS2		EOTP2		EOTPW2		EOTP3
L	27 3/4	L	35 5/8	L	47 1/2	L	59 1/8	L	71 1/8
D	31 1/2	D	31 1/2	D	31 1/2	D	31 1/2	D	31 1/2
Н	31 5/8	H	31 5/8	Н	31 5/8	H	31 5/8	Н	31 5/8
					ŀ	H: Height d	oes not include 5" for caste	rs; heigh	t includes top lid and handles.

L

D

Н

Sandwich Prep. Table Refrigerators

Side Mount

L

D

Н



D: Depth includes 12 1/4" cutting board. | H: Height does not include 5" for casters.



	EPR1
L	35 5/8
D	31 1/2
Н	37 1/2

All dimensions are in inches unless otherwise specified.

71 1/8

31 1/2

37 1/2

#### Food Prep. Tables

#### **Side Mount**

#### Pizza Prep. Table Refrigerators



Si	de	Μ	οι	In

#### **Drawered Pizza Prep. Table Refrigerators**

	EPPR1-D2		EPPR2-D2		EPPR2-D4		EPPR3-D2		EPPR3-D4		
L	35 5/8	L	71	L	71	L	93 1/4	L	93 1/4		
D	36 1/2	D	36 1/2	D	36 1/2	D	36 1/2	D	36 1/2		
Н	36 1/4	Н	36 1/4	Н	36 1/4	Н	36 1/4	H	36 1/4		
Bar	Equipment				s 19 1/4" cutting board. Bar Coolers	Drawe	er pans are not included.   H	1: Height o	loes not include 5" for casters.		

#### **Bar Equipment**

# Back Mount

EBB23							
L	23 1/2						
D+	31 1/8						
H*	39						
D+ D							

D+: Depth includes 1 1/2" for back grill. H\*: Height includes 5" for casters.

# **EBB48** L 49

27

37 1/8

EBB59		EBB69		EBB90
57 3/4	L	68	L	89 1/4
27	D	27	D	27
37 1/8	Н	37 1/8	н	37 1/8

#### 24" Deep Solid Door Back Bar Coolers

D

н

	EBB48-24		EBB59-24		EBB69-24		EBB90-24
L	49	L	57 3/4	L	68	L	89 1/4
D	24 1/2						
Н	37 1/8	H	37 1/8	н	37 1/8	н	37 1/8

L

D

Н

H: Height does not include 5" for casters.

Specifications subject to change without notice.

Product dimensions are for general purposes and not absolute value. Product capacity is calculated based on standard industry figures. Slight variations may exist. If dimensions and capacity are critical, please contact Everest Refrigeration.

Bar Ec	quipment		Glass Doo	r Back B	ar Coolers				
	Back Mount								
	EBB23G		EBB48G		EBB59G		EBB69G		EBB90G
L	23 1/2	L	49	L	57 3/4	L	68	L	89 1/4
D+	31 1/8	D	27	D	27	D	27	D	27
Н*	39	H	37 1/8	H	37 1/8	н	37 1/8	Н	37 1/8
D <b>+</b> : Depth ir H <b>*</b> : Height i	ncludes 1 1/2" for back g ncludes 5" for casters.	prill.					D: Depth do	es not i	nclude protruding door handles

HIM HHHH 1222222 322332A 1484.4 120101 Í Í Í Í Í Í EBB48G-24 EBB59G-24 EBB69G-24 EBB90G-24 89 1/4 49 57 3/4 68 L L L L D 24 1/2 D 24 1/2 D 24 1/2 D 24 1/2 Н 37 1/8 37 1/8 Н 37 1/8 Н 37 1/8 Н D: Depth does not include protruding door handles.

24" Deep Glass Door Back Bar Coolers

24" Deep Glass Sliding Door Back Bar Coolers 181 \*\*\*\* 1111 132228221 EBB48G-SD EBB69G-SD EBB59G-SD EBB90G-SD L 49 L 57 3/4 L 68 89 1/4 L D 24 1/2 D 24 1/2 D 24 1/2 D 24 1/2 Н 37 1/8 Н 37 1/8 н 37 1/8 н 37 1/8

D: Depth does not include protruding door handles.

#### **Direct Draw Keg Refrigerators**



H\*: Height includes 5" for casters.

All dimensions are in inches unless otherwise specified.

#### **Bar Equipment**

#### 24"Deep Direct Draw Keg Refrigerators



#### **Back Bar & Direct Draw Keg Refrigerators**

	Beer Kegs & Cans	Berr Kegs Bottles Cans			Beer Kegs Bottles čans		Beer Kegs Bottles Cans		
	EBD2-BB		EBD2-BBG		EBD3-BB		EBD3-BBG		
L	57 3/4	L	57 3/4	L	68	L	68		
D	27	D	27	D	27	D	27		
Н	37 1/8	Н	37 1/8	Н	37 1/8	Н	37 1/8		
	D: Depth does not include protruding door handle.   H: Height does not include towers.								

#### 24" Deep Back Bar & Direct Draw Keg Refrigerators



#### 24" Deep Glass Door Back Bar & Direct Draw Keg Refrigerators




D : Depth does not include protruding door handles. | H: Height does not include towers.

Specifications subject to change without notice.

Product dimensions are for general purposes and not absolute value. Product capacity is calculated based on standard industry figures. Slight variations may exist. If dimensions and capacity are critical, please contact Everest Refrigeration.

#### **Club Top Direct Draw Keg Refrigerators**






H: Height does not include towers.

#### **Horizontal Bottle Coolers**

EBC37	EBC50		EBC65	
L 36 3/4	L 49 1/2	L	64 5/8	
D 26 3/4	D 26 3/4	D	26 3/4	
H 33 5/8	H 33 5/8	н	33 5/8	

D: Depth does not include bottle cap opener with integrated cap receptacle.



D: Depth does not include bottle cap opener with integrated cap receptacle.


#### Solid Slide Lid Glass & Plate Chillers

EGC37	EGC50	EGC65
L 36 3/4	L 49 1/2	L 64 5/8
D 26 3/4	D 26 3/4	D 26 3/4
H 33 5/8	H 33 5/8	H 33 5/8


Counter	top Refrigerated Display Cases	Self-Contained	Sushi Cases
	Left Mounted Compressor		Right Mounted Compressor
	ESC47L		ESC47R
L	47 1/4	L	47 1/4
D	14	D	14
Н	11 1/8	Н	11 1/8
			D: Denth includes 1//1" for drain nine at back of unit

D: Depth includes 1/4" for drain pipe at back of unit.

Left Mounted Compressor	Right Mounted Compressor
ESC59L	ESC59R
L 59	L 59
D 14	D 14
H 11 1/8	H 11 1/8
	D: Depth includes 1/4" for drain pipe at back of unit.



D: Depth includes 1/4" for drain pipe at back of unit.



Specifications subject to change without notice.

Product dimensions are for general purposes and not absolute value. Product capacity is calculated based on standard industry figures. Slight variations may exist. If dimensions and capacity are critical, please contact Everest Refrigeration.

17

All dimensions are in inches unless otherwise specified.



#### **EVEREST LIMITED WARRANTY**

EVEREST warrants to the original purchaser of every new EVEREST unit, the cabinet and all parts thereof, to be free from defects in material or workmanship, under normal and proper use and maintenance service as specified by EVEREST and upon proper installation and start-up in accordance with the instruction packet supplied with each unit. Our obligation under this warranty is limited to a period of three (3)\* years from the date of original installation or thirty six (36)\* months after shipment date from EVEREST, whichever occurs first (applicable to units purchased after July 1, 2014). Any part covered under this warranty that is determined by EVEREST to have been defective within three (3)\* years of original installation or thirty six (36)\* months after shipment date from the manufacturer, whichever occurs first, is limited to the repair or replacement, including labor charges, of defective parts or assemblies. The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by EVEREST.

#### WARRANTY CLAIMS

All warranty claims for labor or parts must be made directly through EVEREST. All claims shall include: unit model number, cabinet serial number, proof of new product purchase, installation date, and all pertinent information related to the reported defect. For compressor warranty claims, the compressor tag shall be returned to EVEREST along with the above listed information.

#### WARRANTY EXCLUSIONS

EVEREST's sole obligation under this warranty is limited to either the repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

- A. INDIRECT OR CONSEQUENTIAL DAMAGE. EVEREST does not warrant economic loss, profit loss, or special, indirect or consequential damages including without limitation, losses or damages arising from food or product spoilage claims caused by refrigeration failure.
- B. IMPROPER USAGE. EVEREST is not responsible for parts or labor coverage for component failure and or other damages resulting from improper usage, installation or failure to clean and/or maintain the unit as set forth in the user's manual provided with this unit. All EVEREST units are designed for commercial use, not for residential use. Warranty is invalid if the unit is installed in a residence.
- C. WARRANTY IS NOT TRANSFERABLE. Warranty is limited to only the original purchaser/user to which the unit was delivered. Warranty does not transfer with change of ownership.
- D. ALTERATION, NEGLECT, MISUSE, ABUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FLOOD, ACTS OF GOD. EVEREST is not responsible for malfunctions due to alteration, neglect, misuse, abuse, accident, damage during transit or installation, fire, flood, storm, and/or other acts of God. EVEREST is not responsible for any improper electrical connections resulting from electrical power failure, the use of extension cords, and low voltage or voltage drops to the unit.
- E. UNAUTHORIZED MODIFICATION. EVEREST is not responsible for the repair or replacement of failed or damaged components resulting from unauthorized modifications to units or the use of non- standard parts without prior written approval from EVEREST.
- F. OUTSIDE THE U.S. This warranty does not apply to any parts and/or labor warranty claims made on units sold or used outside of the United States.

#### **FIVE (5) YEAR COMPRESSOR WARRANTY**

**5 YEAR** Compressor

the Best

Warranty

In addition to the warranty set forth above, EVEREST warrants the hermetically sealed compressor for five (5) years, not to exceed sixty (60) months from the unit's date of shipment from EVEREST. To qualify for a compressor warranty claim, the replacement compressor must have been purchased directly from EVEREST. Claimants must submit the compressor warranty form, original compressor and electrical components to EVEREST. Additionally, examination by EVEREST must confirm the compressor and electrical components to be defective as claimed. This compressor warranty does not apply to shipping and labor costs or other parts whether electrical or mechanical.

These warranties are exclusive and in lieu of all other warranties, expressed or implied, and all other obligations or liabilities on our part, and we neither assume nor authorize any other person to assume for us any other obligation or liability in connection with the sale of said refrigeration units or any part thereof.

**3 YEAR** Parts & Labor

\* Terms may vary. Contact Everest for further details.

**ÆID**.

NSF

(EID)

18



#### A Step Above the Standard



201 W. Artesia Blvd., Compton, CA 90220 TEL 310. 323. 6586 I 800. 444. 6285 FAX 310. 323. 7524 I 310. 761. 1127

www.EVERESTref.com