

Project: _____	AIA# _____
Item #: _____ Qty: _____	SIS# _____
Model #: _____	


Wood Panel Side Serviced Grilles

Glastender side-serviced coolers can be supplied with wood compressor compartment covers to match wood panel doors.

Note: Wood compressor compartment covers do not meet UL flammability test requirements. Coolers manufactured with raised panel wood doors do NOT carry the ETL mark. Please verify acceptability with your local electrical inspector prior to ordering.

Wood Panel Side Serviced Grille Mounting Instructions

1. Remove the bottom screw fastening the metal grille assembly to the cooler and carefully lift upward to disengage the upper grille flange from the offset clip.
2. On the back of the digital controller, use a small screwdriver to remove the probes. Disconnect the wire harness also.
3. Lay the wood panel grille face down on a clean, smooth surface.
4. Align the metal grille assembly mounting holes with pre-drilled holes in wood panel grille.
5. Fasten the wood panel to the metal grill assembly with supplied fasteners in all six locations.
6. Reconnect controller probe wires and wire harness
7. Slide the grille upper flange into the offset clip and reinstall the bottom screw.



Glastender, Inc. • 5400 N Michigan Rd • Saginaw, MI • 48604-9780
 989.752.4275 • 800.748.0423 • Fax 989.752.4444
www.glastender.com


Specifications subject to change without notice. For current specifications please visit our website.

Approval/Notes:


Wood Panel Side Service Grilles

C1SB Wood Grille Dimensional Information

C1SB20
C1SB28
C1SB36
C1SB44
C1SB48



C1SB24



C1SL Wood Grille Dimensional Information

FRONT VIEW

4.000

1.500

1.250

.313

3.375

R.125 TYP

.500 TYP

.813 TYP

.313

Technical drawing of a vertical assembly, likely a component of a machine or structure. The drawing shows a central vertical section with various features and dimensions.

Dimensions (Vertical):

- 27.375
- 26.625
- 26.438
- 25.563
- 14.750
- 14.500
- 13.875
- 11.875
- 1.000
- 0.750
- 0

Dimensions (Horizontal):

- .500

Callouts:

- 6X Ø .078 Ψ .500
- FOR #6 WOOD SCREWS

The drawing includes a central vertical section with a series of horizontal slots or channels. There are two rectangular blocks, one near the top and one near the bottom, both with a small square feature on their top surfaces. The dimensions are indicated by lines and arrows pointing to the specific features they measure.

FRONT VIEW

3.500

1.500

1.000

.219

3.063

R.125 TYP

.500 TYP

.813 TYP

.313

Technical drawing of a vertical assembly. The drawing shows a central vertical column with various components and dimensions. The dimensions are listed on the left side of the drawing:

- 27.375
- 26.625
- 26.438
- 25.563
- 14.750
- 14.500
- 13.875
- 11.875
- 1.000
- 0.750
- 0


Callouts and notes include:

- .375 (dimension across the top)
- 6X Ø .078 ▽ .500 FOR #6 WOOD SCREWS (note pointing to the top of the assembly)

Wood Panel Side Service Grilles

C2SB Wood Grille Dimensional Information


C2SB36
C2SB44
C2SB48




Wood Panel Side Service Grilles

F1SB Wood Grille Dimensional Information

F1SB20
F1SB28
F1SB36
F1SB44
F1SB48




F1SB24



Wood Panel Side Service Grilles

F1SL Wood Grille Dimensional Information

F1SL20
F1SL28
F1SL36
F1SL44
F1SL48



F1SL24

