



COMMERCIAL
DISHWASHERS



LXn Series Undercounter Commercial Dishwashers

Where Faster Throughput
Meets Hobart Clean



advansys™


GREATER CLEANING PERFORMANCE & SAVINGS IN LESS SPACE

Hobart Clean is all about helping you achieve superior sanitization and results with less labor by washing smarter, not harder. That's why we engineered the LXn undercounter dishwasher with the exclusive NSF certified two-level rack that increases dishwashing speed and reduces labor. Combine that with the user-friendly touchscreen and ability to remotely monitor performance and you will reach new heights of operational efficiency.


Achieve your Hobart Clean with the LXn undercounter dishwasher today.




Two-Level Throughput
The second-level rack increases throughput to 48 racks per hour, saving time, water, and energy.



Smart Touch Screen & Diagnostics
User-friendly touchscreen with intuitive operation simplifies training and helps troubleshoot critical events to prevent machine downtime.



NSF Pot and Pan Rating
Pot & pan mode plus the 17" opening height accommodates a variety of ware, even a single sheet pan.



Wi-Fi Connectivity
Monitor your sanitization status with current wash and rinse temperatures and downloadable temperature logs through Hobart SmartConnect.

ADVANCED CLEANING PERFORMANCE

Touchscreen Controls

The top-mounted touchscreen provides simple and intuitive operation with integrated diagnostics & troubleshooting for less downtime. Includes SmartConnect app connectivity.

Two-Level Racking Capability

NSF certified two-level washing increases dishwashing speed, reduces water and energy consumption, and cuts labor time.

Complete Delime™ with Booster Guard™

Notifies operators when it's time to delime, then automatically doses delimer into the dishmachine & booster, reducing the handling of chemicals & preserving the life of the machine & booster.

Auto Clean

Automatically rinses & flushes the interior at shut down to cut time on machine cleaning & maintain performance.

NSF Pot & Pan Rated Cycles

Pot & pan mode plus the 17" opening height allows you to run single-rack operation & wash tough food soils off all your prep ware.

Two-Stage Filtration

Spend less time cleaning with two-stage filtration, easy-to-wipe seamless interior, and snap-in wash and rinse arms.

Steam Elimination and Energy Recovery

Eliminates steam in the dishroom and operators' faces while saving you 15% on energy consumption.



Two-stage filtration helps keep dishes clean and minimizes rewash.



Snap-in, self-cleaning wash and rinse arms make cleaning fast and easy.

advansys™

SAVE YOUR OPERATION TIME & MONEY

Up To
1,100
Fewer kWh/Year*

Boost Throughput to
48
RACKS/HOUR
with 2nd Level Rack**

REDUCE ANNUAL
OPERATING COSTS UP TO
\$500
Per Machine*

Call 888-446-2278 for a
FREE TCO AUDIT
or visit hobartcorp.com/LXnR

* Projected average annual savings for LXnR vs. LXnH running 50 racks per day with liquid chemicals and electric facility heat. LXnR includes 2 level operation and ventless energy recovery; LXnH includes single rack operation. Multiply annual savings over the life of the machine for total lifetime value. Actual savings vary by model and location.
** Upper rack NSF certified for plates and silverware. Lower rack NSF certified for all ware items. Single rack operation: NSF certified for all ware items.



The ENERGY STAR certified LXn undercounter provides large utility savings compared to three-compartment sinks.




HOBART SmartConnect: PERFORMANCE AT YOUR FINGERTIPS

Connect your Hobart LXn to the FREE SmartConnect app through the built-in WiFi to monitor and optimize your dishroom operations. Create better procedures and enhance performance by monitoring temperatures and sanitization, analyzing usage, consumption and costs, and receiving alerts & troubleshooting for critical events.



Easily connect with your commercial dishwasher's onboard Wi-Fi.

To get started, visit SmartConnect365.com



FEATURES & SPECIFICATIONS

STANDARD FEATURES	advansys™	
	LXnR	LXnH LXnC
Model	LXnR	LXnH LXnC
Steam Elimination	✓	
Energy Recovery	✓	
Complete Delime™ with Booster Guard™	✓	
NSF Pot & Pan Rating	✓	
Two-Level Racking Capability	✓	✓
Auto Clean	✓	✓
17" Door Opening	✓	✓
Smart Touchscreen Controls	✓	✓
Wi-Fi Connectivity & SmartConnect App	✓	✓
Low Temperature & Chemical Alerts	✓	✓
2-Stage Filtration	✓	✓
Sense-A-Temp™ Booster	✓	✓ (LXnH)
On-Board Chemical Pumps w/Auto Prime	✓	✓
High Temp Sanitization	✓	✓ (LXnH)
Chemical Sanitization		✓ (LXnC)
Racks Per Hour	30 / 24 / 13	32 / 15 (LXnH) 34 / 15 (LXnC)
Water Consumption	.62 Gallons/Cycle	.62 Gallons/Cycle
ENERGY STAR® Certified	✓	✓

OPTIONS AND ACCESSORIES

- Two-Level Racking Kit
- Power Cord Kit
- Splash Reduction Panel
- 6" Stainless Steel Legs
- 17" Stainless Steel Stand
- Door Lock
- External Height Adjustable Casters
- Internal Height Adjustable Casters (3")
- Drain Water Tempering Kit
- Water Hammer Arrestor Kit
- Trim Strip
- Pumped Drain Air Gap Kit
- Pressure Regulator Valve



THERE'S CLEAN, AND THEN
THERE'S HOBART CLEAN.

Learn more at HobartClean.com



Ready to Achieve Hobart Clean?

Call 888-4Hobart (888-446-2278) or contact us online today to get more information, receive a quote, or request a free cost of operations audit.



www.hobartcorp.com/LXnR



www.hobartcorp.com

Hobart
701 S. Ridge Ave.
Troy, Ohio 45373
1-937-332-3000

ITW FOOD EQUIPMENT GROUP
F48684 (01/24) ©2024 Hobart